Subject Index

Acrylamide 419
Acrylates 237
Acrylic acid 229
Alkanes 303, 543
Alkenes 55
Allophanate formation 33
Ammonia gas 437
Amylopectin 283
Analysis 7, 15, 127, 133, 141, 149, 303, 319, 327, 331, 457, 463, 471, 475, 481, 487, 553, 557
Anionic polymerization 79, 87, 441
Anisotropy 293
Aromatic polyether sulfones 253
Aromatic hydrocarbons 531
4,4′-azo-bis-(4-Cyanovaleryl)-bis-(m-chlorobenzoyl) diperoxide 419

Behavior 337
Benzoyl peroxide 531
Bifunctional initiators 419
Bimesogenic compounds 383
Biomaterials 499
Bioactive polymers 369
Biopolymers 283, 369
Birefringence 23
Bjerrum method 133
Blends 7
Block copolymers 65, 203
Branched polymers 283
Butadiene rubber 209
Butadiene-styrene copolymer 149
Butanol 223
Butene-1 111
n-Buthyllithium 433

Carbon black 209
Carbon fibers 523
Carbon-13 531
Carboxymethyl cellulose acid chloride 369
Carriers 553
Catalysts 41, 99, 105, 111, 363
Catalyzation 407, 413, 535
Cations 389
Cationic polymerization 359, 427
Cellulose 315
Chain deformation 487
Charge transport mechanisms 293
Chelation 23
Chelating properties 393
Chiral smectics 299
Chlorosulfonation 269
Cloud points 7
Comb-like polymers 299
Composites 15, 523
Computer simulation 303
Conducting polymers 293
Conformation 507, 553, 557
Copolymers 59, 65, 463
Copolymerization 105, 111
Copolymerization, anomalous behavior 343
Copolymers, multiblock 331
Copolymers, sequential 253, 261
Copolymers, statistical 229
Copper 189, 393
Copper (II) 133, 141
Cotton cellulose 315
p-Cresyl glycidyl ethers 535
Crosslinking 23, 29, 33, 181, 189, 215, 229, 393, 481, 547
Crystals 165
Crystallization 269, 543
2-Cyano-2-propylazoformamide 531
Cyclododecane 557
Cyclohexane 349

Deformation 215, 487
Densitometry 553
Destruction level of crystalline material 269
Deuterated polystyrene 7
Diazonium ions 427
Dibromopropane 393
Differential scanning calorimetry 93, 165, 173, 270, 383
Dihalogenomethane 353
Dilatometry 349
Dilute solutions 547
Disodium salt of 3′,4′,5′,6′-tetrachloro-2,4,5,7-tetraiodo-fluorescein 119
Draining effects 275
Drawing technique 287

Elastomers 23, 29, 215, 399, 413
Electrical properties 209
Engineering 1
Engineering plastics from lignin 1

Entanglements 547
Enzymes, immobilized 369
ESCA spectroscopy 245, 437
ESR 457
Etherification 261
Etherification, 2-(p-hydroxyphenyl)-2-oxazoline 261
Ethylamine 413
Ethylbenzene 275
Ethyl benzoate 99
Ethylene 105, 111
Ethylene copolymerization 111
Ethylene/propylene/5-ethylidene-2-norbornene 363
Ethylene-propylene copolymerization 105, 463
Ethyl methacrylate 343

Ferroelectric properties 299
Fibers 93, 287, 523
Fiber-composites 15
Fibers, production 195
Fillers 407, 413
Filtration 327
Fire resistant foams 1
Foams 1
Fourier-Transform infrared spectroscopy 15, 481
Fox-Flory equation 173
Fractionation 491, 499
Free volume theory 173
Functional polymers 237, 245, 253, 261, 369
Furfurylidene acetone 441

Gels 223, 515
Gel permeation chromatography 283
Gibbs-DiMarzio theory 173
Glass fibers 15, 41
Glass transition phenomenology 149
Glass transition temperature 173, 223
Guayule rubber 202
Grafting 399

Halides 427
Hexatriacontane 543
High modulus fibers 93
High resolution ^{13}C-NMR 319
Hydroxyethylcellulose 327
Hydrogeneous poly (vinyl methyl ether) 7
Hydrophilic polymers precursors 337
Hydroxypropyl lignins 1

Imidazoles 535
Immobilization of invertase 369
Incompatible polymers 49
Infrared spectroscopy 59, 65, 229, 437, 481
Initiators 419, 427, 441, 449
Invertase immobilization 369
Ion-exchange resins 189, 393
Ionic polymerization 393
Ionomers 229, 389
Ion-pair cation solvation 181
Isocyanate groups 33, 41
Isomerisation 441
Isoprene 433
Isoprene-styrene networks 23

Kapton 319

Lactams 87
Lewis acid initiation 157
Lewis acid transition 157
Light scattering 327
Lignin 1
Linear block copolymers 65
Liquid crystal polymers 93, 299, 383

Macromonomers 79
Mark-Houwink's law 283
Mechanical properties 157
Mechanical and dynamic properties 203, 209, 215
Methacrylates 237
4-Methoxy-4′-chlorostilbene 531
N-Methyl carbazole 353
Methyl methacrylate 531
Melts 157, 173, 165, 543
Melt-crystallization 543
Meltorientation 543
Melting range 165
Metal ion interactions 127
p-Methoxystyrene 427
Methyl iodide 337
4-Methyl-pentene-1 111
Methyl α-cyanocinnamate 65
Methyl methacrylate 59
α-Methylstyrene-butadiene-α-methylstyrene 65
α-Methylstyrene 331
Michaelis-Menten constant 369
Microcalorimetry 127
Model elastomers 407
Model networks 303
Molecular dynamic computer simulation 303

Natural rubber 203, 457, 481
Networks 23, 29, 33, 195, 303, 413, 515
New polymers 399
Nitrobenzene 359
p-Nitrobenzenediazonium tetrafluoroborate 427

Nucleophiles 441
N,N-Dimethylaminoethyl methacrylate 349
2 D-NMR Spectroscopy 463
^{1}H-NMR 59, 237, 463
^{13}C-NMR 65, 237, 315, 319, 471, 475

Octamethyltetrasiloxane 557
α-Olefins 111
Oligomeric organofunctional siloxanes 499
Oligosiloxane spacers 383
Organofunctional siloxanes 491, 499
Organo-metallic catalysts 41
Orientated polymers 195, 293, 543

Penultimate unit effect 55
Performance 41, 49, 55
Phase transfer catalysis 253, 261
Photoconductivity 353
Photoelastic behavior 515
Photolysis 419
Photosensitizers 119
Photostability 119
Plasma polymerization 437
Polarized light microscopy 93
Polyacrylamide networks 515
Polyalkylmethacrylate macromonomers 79
Polybutylmethacrylate 49
Polycaproamide 195
Polycondensation 353
Polycyclohexene 475
Poly(diethylene terephthalate) 173
Poly(2-dimethylaminoethyl methacrylates) 337
Poly(dimethylsiloxane) 407
Polyesters 93, 245
Polyester resins 399
Polyetherification 253
Polyethylene 165, 195, 269, 287, 543
Poly(ethylene adipate) 173
Polyethylenimine 189, 393
Poly(ethylene oxide) 181
Poly(ethylene terephthalate) 173
Poly(fumaric acid) 449
Poly(2-hydroxyethyl methacrylate) 223
Poly(hydroxycarbonyl-methylene) 449
Polyisoprene 215, 433, 457
cis-1,4-Poly(isoprene) 203
Polymer blends 7
Polymerization mechanisms 433, 437, 441, 449
Poly(methacrylic acid) 127
Poly(N,N′-bis(phenoxyphenyl) pyromellitimide) 319
Poly(N-methacryloyl-L-alanine) 133, 141
Poly(methylmethacrylate-co-styrene) 471
Polyorganosiloxanes 491

Polyoxymethylene 195
Poly(p-phenylene vinylene) 293
Polypropylene 99, 467
Polystyrene 49, 157, 275
Poly(tert-butoxycarbonyl-methylene) 449
Polyurethane 15, 33
Polyurethane foam 523
Polyvinyl-alcohol 195
Poly(N-vinylpyrrolidone-co-maleic acid 553
Poly(vinyl alcohol-co-methyl methacrylate) 59
Potentiometry 133, 553
Processing 195
Propagation 441
Propylene 105, 111, 463
Propylene polymerization 99
Pseudo crosslinking 547
Purification 491, 499
2-Pyrrolidone 87

Quasielastic light scattering measurements 223
Quaternization reactions 337

Radical copolymerization 55
Radiothermoluminescence 149
Radical high polymerization 449
Radical initiators 449
Radical polymerization 349, 531
Raman spectroscopy 487
X-Ray diffraction 269, 543
Reactions 349, 353, 359, 531
Reinforcement 407, 413
Relaxation 29, 215, 223, 229, 315
Resins 189, 393, 399
Rheo-optical Fourier-Transform infrared spectroscopy 481
Rose Bengal 119
Rubber 209, 457

Semiconductivity 353
Semi-dilute solutions 547
Separation processes 491
Silica fillers 413
Silicone elastomers 407
Silanol groups 41
Siloxanes 491
Small angle neutron scattering technique 7
Smectics 299
Solid state polymers 303, 557
Spacers 383
Spectroscopy 141
Stabilizers 369
Stable systems 49
Starch 283
Stereoregularity 433

Stereospecificity 99
Strength, ultimate 407
Stress-relaxation 481
Stilbene 531
Styrene 229, 331, 343, 531
Styrene-vinyl benzyl chloride 119
Sulfonates 427
Sulfur 363, 481
Supercritical fluids 491, 499
Superstrength films 195
Surfaces 41, 523
Swollen gels 223, 515

Techniques for polymer fractionization and purification 491, 499
Terpolymerization 363
Tetraethylorthosilicate 407, 413
Tetrahydrofuran 275, 407
Tetramethyltin 437
Thermoanalysis 331, 349
Thermodynamic interaction parameters 49
Thermolysis 419
Thermosetting 399
Thermotropic liquid crystalline polymers 299, 383
Thermotropic polyesters 93
Ti-catalysts 99, 105, 363
$TiCl_4$ catalysts $MgCl_2$ supported 111
Titration 553
Toluene 229
Transition metal ions 127
Trityl salts 359

Ultra-high strength fibers 195, 287
Ultraviolet absorbers 237
Ultraviolet stabilizers 245, 369
Undecenoates 369
Uranium 393
Uranium recovery 189
Urethane groups 33

Vanadium catalysts 363
Vinyl acetate 59
N-Vinylcarbazole 359
N-Vinyl pyrrolidone 65
Viscoelasticity 215
Viscoelastic relaxation 29
Viscosity 283
Vulcanization 363

Xanthan 507

Zero melting range 165

Author Index

Aguilera, C., Ringsdorf, H.: Thermotropic Polyesters with Mesogenic Groups Based on Substituted Hydroquinone Units and Highly Flexible Siloxan Spacer in the Main Chain 93
Ahmed, E., see Al-Jarrah, M. M. F., et al. 433
Albertsson, A. C., see Li, S., et al. 237
Al-Jarrah, M. M. F., Apikian, R. L., Ahmed, E.: Living Polymerization. 1. Solvent Effect on the Stereoregularity of Polyisoprene Initiated by n-Buthyllithium 433
Ammerdorffer, J. L., see Tacx, J. C. J. F., et al. 343
Andreis, M., see Marinović, T., et al. 457
Apikian, R. L., see Al-Jarrah, M. M. F., et al. 433
Aquilera, C., Bernal, L.: Thermotropic Liquid Crystalline Bimesogenic Molecules with Highly Flexible Oligosiloxane Spacer 383
Arkhipovich, G. N., Ugolkova, Y. A., Kazanskii, K. S.: Solvation of Ion Pairs with Poly(Ethylene Oxide) 181
Asano, T.: Melt-Crystallization of n-Alkanes and Polyethylene in a Temperature Gradient. 2. Melt-Orientation of Hexatriacontane ($C_{36}H_{74}$) 543
Auman, B. C., see Percec, V. 253

Bagrodia, S., Wilkes, G. L.: Comments on the Effect of Cation, Type on Ionomer Properties 389
Balabaev, N. K., see Mazo, M. A., et al. 303
Baltá Calleja, F. J., see Martinez-Salazar, J., et al. 269
Bartulín, J., Maturana, H. A., Rivas, B. L. Perich, I. M.: Synthesis of Strong Basic Resins for Uranium Recovery (Part II) 189
Bartulín, J., Rivas, B. L., Ramos, M. L.: Synthesis of Basic Resins for Uranium and Copper Recovery. (Part IV) 393
Bassett, W. Jr., see Li, S., et al. 237
Beinert, G., see Lutz, P., et al. 79
Bělohlávková, J., see Fries T., et al. 87
Beresnev, L. A., see Shibaev, V. P., et al. 299
Berger, J., Lohse, F.: Polymerization of p-Cresyl glycidyl Ether Catalyzed by Imidazoles. 2. Polymerization catalyzed "in situ" (1) 535
Bernal, L., see Aquilera, C. 383
Bershtein, V. A., Savitsky, A. V., Egorov, V. M., Gorshkova, I. A., Demicheva, V. P.: Polymer Melting at an Equilibrium Temperature in a Zero Melting Range as well as Inter- and Intramolecular Stages of the Process 165
Bevington, J. C., Breuer, S. W., Huckerby, T. N.: Effects of Substituents in Stilbene Upon its Reactivity in Radical Polymerizations 531
Bilbao, E., Rodriquiez, M., Leòn, L. M.: Kinetics of the Cationic Polymerization of N-Vinylcarbazole by Trityl Salts in Nitrobenzene 359
Blinov, L. M., see Shibaev, V. P., et al. 299
Borsig, E., see Song, Z., et al. 245
Boscher, Y., Lafuma, F., Quivoron, C.: Evidence by Light Scattering of Hydroxyethylcellulose Aggregation Induced by Solution Filtrations 327
Botija, J. M. see Martinez-Utrilla, R. et al. 119
Breuer, S. W., see Bevington, J. C., et al. 531
Brown, A. S., see Fujimori, K., et al. 349

Cagiao, M. E., see Martinez-Salazar, J., et al. 269
Cantow, H.-J., see Emeis, D. 557
Cantow, H.-J., see Orozco, J. S. 203
Capistran, J. D., see Gagnon, D. R., et al. 293
Chaker, A., Lam, T. M., Pascault, J. P.: Analysis of the Structure of Polyurethane Matrix in Fiber-Composites 15
Cheng, H. N., Lee G. H.: Two-Dimensional NMR Spectroscopy and Automated ^{1}H NMR Analysis of Ethylene-Propylene Copolymers 463
Cheradame, H., see Salon, M. C., et al. 441
Chormaya, V., see Lipatov, Y., et al. 49
Chudáček, I., see Pospíšil, J., et al. 149
Colomer, P., see Montserrat, S. 173
Comănita, E., see Sik, K. G., et al. 419
Costigan, M. J., see Fujimori, K., et al. 349
Coulon, G., Lefebvre, J. M., Escaig, B.: Mechanical Characterization of Structural Evolution in Modified Unsaturated Polyester Resins 399
Craven, I. E., see Fujimori, K., et al. 349
Csákvári, E., Azori, M., Tüdös, F.: Physico-Chemical Studies of Polymeric Carriers. 4. Densitometric Titration of Poly(N-Vinylpyrrolidone-co-Maleic Acid) 553

Demicheva, V. P., see Bershtein, V. A. A., et al. 165
DiMarzio, E. A., see Gaylord, R. J. 29

Donth, E., see Pospíšil, J., et al. 149
Dumitriu, S., see Sik, K. G., et al. 419
Dumitriu, S., see Simionescu, C. I., et al. 369
Dušek, K., Ilavský, M., Matějka, L.: Statistical Treatment of Allophanate Crosslinking in the Formation of Polyurethane Networks 33

Egorov, V. M., see Bershtein, V. A., et al. 165
Emeis, D., Cantow, H.-J., Möller, M.: A Comparative Study of the Conformational Mobility of Octamethyltetrasiloxane and Cyclododecane in the Solid State 557
Engelbrecht, R., see Giese, B.: 55
Escaig, B., see Coulon, G., et al. 399

Favier, J. C., see Phalip, P., et al. 331
Fleš, D., see Marinović, T., et al. 457
Frenkel, S., see Lyubimova, V. A. 229
Fries, T., Bělohlávková, J., Roda, J., Králiček, J.: Polymerization of Lactams. 72. Limit Temperature of the Anionic Polymerization of 2-Pyrrolidone 87
Frolova, I. L., see Savitsky, A. V., et al. 195
Fujimori, K., Brown, A. S., Costigan, M. J., Craven, I. E.: Rate of Radical Polymerization of N,N-Dimethylaminoethyl Methacrylate in Cyclohexane 349
Fujisawa, T., see Yosomiya, R., et al. 523
Furukawa, J.: A Theory of Pseudo Cross-Link 6. Polymer Melt, Dilute Solution and Semi-Dilute Solution 547

Gagnon, D. R., Capistran, J. D., Karasz, F. E., Lenz, R. W.: Conductivity Anisotropy in Oriented Poly(p-Phenylene Vinylene) 293
Gandini, A., Perego, G., Roggero, A., Vitali, R., Zazzetta, A.: Synthesis and Characterization of α-Methylstyrene-Butadiene-α-Methylstyrene Linear Block Copolymers 71
Gandini, A., see Salon, M. C., et al. 441
Gaylord, R. J., DiMarzio, E. A.: The Viscoelastic Relaxation of Cross-Linked Polymer Networks 29
German, A. L., see Tacx, J. C. J. F., et al. 343
Giese, B., Engelbrecht, R.: The Penultimate Unit Effect of Radical Copolymerization 55
Glasser, W. G., Leitheiser, R. H.: Engineering Plastics from Lignin. 11. Hydroxypropyl Lignins as Components of Fire Resistant Foams 1
Gorshkova, I. A., see Bershtein, V. A., et al. 165
Gorshkova, I. A., see Savitsky, A. V., et al. 195
Grivtsov, A. G., see Mazo, M. A., et al. 303
Gupta, A., see Li, S., et al. 237
Gupta, A., see Song, Z., et al. 245

Hall, H. K., Howey, M. A.: Activated Aromatic Diazonium Ions, Sulfonates and Halides as New Initiators for the Cationic Polymerization of p-Methoxystyrene: Exceptional Effectiveness of p-Nitrobenzenediazonium Tetrafluoroborate 427
Hamza, S. S., Osman, H.: Steady-State Creep Characteristics of Carbon Black Loaded Butadiene Rubber 209
Hashimoto, Y., see Inagaki, N. 437
Hirte, R., see Marichin, V. A., et al. 287
Hrouz, J., Ilavský, M.: Phase Transition in Swollen Gels. 8. The Photoelastic Behaviour of Polyacrylamide Networks in the Collapse Region 515
Huckerby, T. N., see Bevington, J. C., et al. 531

Ilavský, M., see Dušek, K., et al. 33
Ilavský, M., see Hrouz, J. 515
Inagaki, N., Hashimoto, Y.: Plasma Polymerization in Mixture System of Tetramethyltin and Ammonia Gas 437
Ioffe, A. F., see Savitsky, A. V., et al. 195
Ize-Iyamu, M. I.: Raman Study of Chain Deformation in Polypropylene 487

Jamieson, A. M., Venkataswamy, K.: Static and Dynamic Radii of Polystyrene in Ethylbenzene and Tetrahydrofuran 275

Kajiura, H., see Kashiwa, N., et al. 363
Karasz, F. E., see Gagnon, D. R., et al. 293
Kazanskii, K. S., see Arkhipovich, G. N., et al. 181
Kashiwa, N., Kajiura, H., Minami, S.: Ethylene/Propylene/5-Ethylidene-2-Norbornene Terpolymerization with a Highly Active Supported Ti Catalyst System: $MgCl_2/TiCl_4/C_6H_5COOC_2H_5$-$AliBu_3$/di-iso-Amyl Ether 363
Kashiwa, N., Mizuno, A., Minami, S.: Copolymerization of Ethylene with Propylene by $MgCl_2$-Containing Highly Active Ti Catalysts 105
Kashiwa, N., Tsutsui, T., Toyota, A.: Solution Copolymerization of Ethylene with α-Olefins by a $MgCl_2$ Supported $TiCl_4$ Catalyst 111
Kashiwa, N., Yoshitake J.: Kinetic Study on Propylene Polymerization with $MgCl_2/TiCl_4$-$AlEt_3/PhCO_2Et$ System – The Role of Ethyl Benzoate 99
Kelen, T., see Móri, E., et al. 157

Kharas, G. B., Litt, M. H.: Copolymerization of Methyl-α-Cyanocinnamate with N-Vinyl Pyrrolidone 65
Kin, T.-H., Peppas, N. A.: Preparation and Characterization of Poly(Vinyl Alcohol-co-Methyl Methacrylate) Copolymers 59
Koňák, Č., Sedláček, B.: Relaxation Fluctuations in Poly(2-Hydroxyethyl Methacrylate) Gels Swollen in Butanol 223
Kozlovsky, M. V., see Shibaev, V. P., et al. 299
Králiček, J., see Fries, T., et al. 87
Krukonis, V. J., Yilgör, I., McGrath, J. E.: Novel Supercritical Fluids Techniques for Polymer Fractionation and Purification. 1. Background 491
Krukonis, V. J., see Yilgör, I., et al. 499

Lafuma, F., see Boscher, Y., et al. 327
Lam, T. M., see Chaker, A., et al. 15
Lee, G. H., see Cheng, H. N. 463
Lefebvre, J. M., see Coulon, G., et al. 399
Leitheiser, R. H., see Glasser, W. G. 1
Lenz, R. M., see Gagnon, D. R., et al. 293
León, L. M., see Bilbao, E., et al. 359
Li, S., Gupta, A., Albertsson, A. C., Bassett, W. Jr., Vogl, O.: Functional Polymers. 29. Polymerizable Acrylic Ultraviolet Absorbers with Two Benzotriazole Groups in the Molecules 237
Li, S., Vogl, O.: Functional Polymers. 34. Benzotriazole-Substituted Undecenoates 375
Lipatov, Y., Chormaya, V., Nesterov, A., Todosichuk, T.: Concentration Dependence of Thermodynamic Interaction Parameters in a Polymer-Polymer-Solvent System 49
Lippmaa, E., see Teeäär, R. 315
Litt, M. H., see Kharas, G. B. 65
Lohse, F., see Berger, J. 535
López-Cabarcos, E., see Martinez-Salazar, J., et al. 269
Lunevskaya, L. V., see Mazo, M. A., et al. 303
Lutz, P., Masson, P., Beinert, G., Rempp, P.: Synthesis and Characterization of Polyalkylmethacrylate Macromonomers 79
Lyubimova, V. A., Frenkel, S.: Autooscillating Regime of Sorption of Low Molecular Weight Solvent by Ionomers 229

Marichin, V. A., Mjasnikova, L. P., Zenke, D., Hirte, R., Weigel, P.: Ultra-High Strength and Ultra-High Modulus Fibers from Polyethylene 287
Marinović, T.: Veksli, Z., Andreis, M., Fleš, D.: Polyisoprene Matrix Inhomogeneity Studied by Nitroxide Spin Probe Motion 457
Mark, J. E., Ning, Y.-P.: Effects of Ethylamine Catalyst Concentration in the Precipitation of Reinforcing Silica Filler in an Elastomeric Network 413
Mark, J. E., see Ning, Y.-P. 23
Mark, J. E., see Ning, Y.-P. 407
Mark, J. E., see Queslel, J. P., et al. 311
Martinez-Salazar, J., López Cabarcos, E., Rueda, D. R., Cagiao, M. E., Baltá Calleja, F. J.: Lamellar Structure in Melt Crystallized Low Density Polyethylene. 2. Study of the Crystalline Phase After Chlorosulfonation 269
Martinez-Utrilla, R., Botija, J. M., Sastre, R.: Quantitative Evaluation of Polymeric Photosensitizers. 2. Preparation of a Soluble Polymer-Bound Rose Bengal and Determination of Its Singlet Oxygen Generation Efficiency 119
Masson, P., see Lutz, P., et al. 79
Matějka, L., see Dušek, K., et al. 33
Maturana, H. A., see Bartulín, J., et al. 189
Mazo, M. A., Oleynik, E. F., Balabaev, N. K., Lunevskaya, L. V., Grivtsov, A. G.: Molecular Dynamic Simulation of Motion in Solid Polymers. Rotator Phase of n-Alkane 303
McGrath, J. E., see Krukonis, V. J., et al. 491
McGrath, J. E., see Yilgör, I., et al. 499
Methenitis, C., Morcellet-Sauvage, J., Morcellet, M.: The Interaction of Poly(N-Methacryloyl-L-Alanine) with Copper (II). 1. Potentiometric Study 133
Methenitis, C., Morcellet-Sauvage, J., Morcellet, M.: The Interaction of Poly(N-Methacryloyl-L-Alanine) with Copper (II). 2. Spectroscopic Study 141
Milas, M., Rinaudo, M.: On the Existence of Two Different Secondary Structures for the Xanthan in Aqueous Solutions 507
Minami, S., see Kashiwa, N., et al. 105
Minami, S., see Kashiwa, N., et al. 363
Mizuno, A., see Kashiwa, N., et al. 105
Mjasnikova, L. P., see Marichin, V. A., et al. 287
Moad, G., Rizzardo, E., Solomon, D. H.: Evaluation of End Groups in Poly(Methyl Methacrylate-co-Styrene) by ^{13}C NMR 471
Möller, M., see Emeis, D. 557
Moldovan, F., see Simionescu, C. I., et al. 369
Montserrat, S., Colomer, P.: The Effect of the Molecular Weight on the Glass Transition Temperature in Amorphous Poly(Ethylene Terephthalate) 173
Morcellet, M.: Microcalorimetric Investigation of the Association of Syndiotactic Poly(Meth-

acrylic Acid) with some Divalent Metal Ions 127
Morcellet, M., see Methenitis, C., et al. 133
Morcellet, M., see Methenitis, C., et al. 141
Morcellet-Sauvage, J., see Methenitis, C., et al. 133
Morcellet-Sauvage, J., see Methenitis, C., et al. 141
Móri, E., Pukanszky, B., Kelen, T., Tüdös, F.: Lewis Acid Initiated Melt Reactions of Polystyrene and EPDM Rubber 157
Mori, S., see Otsu, T., et al. 449
Morimoto, K., see Yosomiya, R. 41
Morimoto, K., see Yosomiya, R., et al. 523

Natansohn, A.: Polycondensation of N-Methyl Carbazole with Dihalogenomethane and some Properties of the Polymer 353
Nava, H., see Percec, V., et al. 261
Nesterov, A., see Lipatov, Y., et al. 49
Ning, Y.-P., Mark, J. E.: Optical Properties of Some Isoprene-Styrene Networks Cross-Linked Through Metal-Acetylacetonate Chelation 23
Ning, Y.-P., Mark, J. E.: Treatment of Filler-Reinforced Silicone Elastomers to Maximize Increases in Ultimate Strength 407
Ning, Y.-P., see Mark, J. E. 413
Nishida, N., see Sasaki, N., et al. 215

O'Donnell, J. H., Whittaker, A. K.: The High Resolution ^{13}C NMR Spectrum of Poly(N,N'-bis(phenoxyphenyl) pyromellitimide), (Kapton) 319
Oleynik, E. F., see Mazo, M. A., et al. 303
Orozco, J. S., Cantow, H.-J.: Guayule Rubber Centered Block Copolymers 203
Osman, H., see Hamza, S. S. 209
Otsu, T., Yasuhara, T., Shiraishi, K., Mori, S.: Radical High Polymerization of Di-tert-Butyl Fumarate and Novel Synthesis of High Molecular Weight Poly(Fumaric Acid) from its Polymer 449

Pascault, J. P., see Chaker, A., et al. 15
Peppas, N. A., see Kim, T.-H. 59
Percec, V., Auman, B. C.: Functional Polymers and Sequential Copolymers by Phase Transfer Catalysis. 11. Synthesis of α,ω-Di(chloroallyl)- and α,ω-Di(bromobenzyl) Aromatic Polyether Sulfones 253
Percec, V., Nava, H., Rodriguez-Parada, J. M.: Functional Polymers and Sequential Copolymers by Phase Transfer Catalysis. 12. Functional Polymers Containing 2-(p-phenoxy)-2-oxazoline Pendant Groups 261
Perego, G., see Gandini, A., et al. 71
Perich, I. M., see Bartulín, J., et al. 189
Phalip, P., Favier, J. C., Sigwalt, P.: Synthesis and Thermal Analysis of Styrene and α-Methylstyrene Multiblock Copolymers 331
Platé, N. A., see Shibaev, V. P., et al. 299
Popa, M., see Simionescu, C. I., et al. 369
Pospíšil, J., Chudáček, I., Donth, E.: Radiothermoluminescence Curves of Polymeric Materials in the Region of Releasing Frozen Molecular Motions. 1. The Shift of Radiothermoluminescence Maxima Resulting from Variation Cooling Rate 149
Ptáďný, M., Ševčík, S., Vítek, P.: Precursors of Hydrophilic Polymers. 4[a] The Kinetics of Quaternization of Poly (2-Dimethylaminoethyl Methacrylate) with Methyl Iodide 337
Pukánszky, B., see Móri, E., et al. 157

Queslel, J. P., Mark, J. E.: Characterization of Model Networks Containing Both Trifunctional and Tetrafunctional Junctions 311
Quivoron, C., see Boscher, Y., et al. 327

Ramos, M. L., see Bartulin, J., et al. 393
Rånby, B., see Song, Z., et al. 245
Rempp, P., see Lutz, P., et al. 79
Rinaudo, M., see Milas, M. 507
Rinaudo, M., see Salemis, P. 283
Ringsdorf, H., see Aguilera, C. 93
Rivas, B. L., see Bartulín, J., et al. 189
Rivas, B. L., see Bartulín, J., et al. 393
Rizzardo, E., see Moad, G., et al. 471
Roda, J., see Fries T., et al. 87
Rodriguez, M., see Bilbao, E., et al. 359
Rodriguez-Parada, J. M., see Cercec, V., et al. 261
Roggero, A., see Gandini, A., et al. 71
Rueda, D. R., see Martinez-Salazar, J., et al. 269

Salemis, P., Rinaudo, M.: Molecular Weight-Viscosity Relationship for Amylopectin, a Highly Branced Polymer 283
Salon, M. C., Gandini, A., Cheradame, H.: The Anionic Polymerisation of Furfurylidene Acetone: Evidence for Isomerisation Preceding Propagation 441
Sasaki, N., Uchiumi, T., Sugo, Y., Nishida, N., Yamaguchi, S.: Dynamic Mechanical Properties of Crosslinked Polyisoprene Under Deformation 215
Savitsky, A. V., see Bershtein, V. A., et al. 165
Savitsky, A. V., Gorshkova, I. A., Frolova, I. L.,

Shmikk, G. N., Ioffe, A. F.: The Model of Polymer Orientation Strengthening and Production of Ultra-High Strength Fibers 195
Sedláček, B., see Kořák, Č. 223
Ševčík, S., see Přádný, M., et al. 337
Shibaev, V. P., Kozlovsky, M. V., Beresnev, L. A., Blinov, L. M., Plate, N. A.: Thermotropic Liquid Crystalline Polymers. 16. Chiral Smectics "C" with Spontaneous Polarization 299
Shibayama, M., see Yang, et al. 7
Shiraishi, K., see Otsu, T., et al. 449
Shmikk, G. N., see Savitsky, A. V., et al. 195
Siesler, H. W.: Rheo-Optical Fourier-Transform Infrared Spectroscopy of Polymers. 8. Stress-Relaxation of Sulfur-Crosslinked Natural Rubber 481
Sigwalt, P., see Phalip, P., et al. 331
Sik, K. G., Dumitriu, S., Comăniţa, E., Simionescu, C.: Bifunctional Initiators. 7. Acrylamide Polymerization with 4,4'-azo-bis-(4-Cyanovaleryl)-bis-(m-Chlorobenzoyl) Diperoxide as Initiator 419
Simionescu, C. I., Dumitriu, S., Popa, M., Dumitriu, M., Moldovan, F.: Bioactive Polymers. 28. Immobilization of Invertase on Carboxymethyl Cellulose Acid Chloride 369
Simionescu, C., see Sik, K. G., et al. 419
Solomon, D. H., see Moad, G., et al. 471
Song, Z., Rånby, B., Gupta, A., Borsig, E., Vogl, O.: Functional Polymers. 31. ESCA Spectroscopy of Polyesters Stabilized with Polymer Bound Ultraviolet Stabilizers 245
Stein, R. S., see Yang, H., et al. 7
Sugo, Y., see Sasaki, N., et al. 215

Tacx, J. C. J. F., Ammerdorffer, J. L., German, A. L.: Anomalous Copolymerization Behavior of Styrene and Ethyl Methacrylate at High Conversion 343
Teeäär, R., Lippmaa, E.: Solid State ^{13}C-NMR of Cellulose. A Relaxation Study 315
Todosiichuk, T., see Lipatov, Y., et al. 49
Toyota, A., see Kashiwa, N., et al. 111
Tsonis, C. P., see Wazeer, M. I. M. 475
Tsutsui, T., see Kashiwa, N., et al. 111
Tüdös, F., see Móri, E., et al. 157

Uchiumi, N., see Sasaki, N., et al. 215
Ugolkova, Y. A., see Arkhipovich, G. N., et al. 181

Veksli, Z., see Marinović, T., et al. 457
Venkataswamy, K., see Jamieson, A. M. 275
Víček, P., see Přádný, M., et al. 337
Vitali, R., see Gandini, A., et al. 71
Vogl, O., see Li, S. 375
Vogl, O., see Li, S., et al. 237
Vogl, O., see Song, Z., et al. 245

Wazeer, M. I. M., Tsonis, C. P.: Characterization of Polycyclohexene by High Field ^{13}C-NMR Spectroscopy 475
Weigel, P., see Marichin, V. A., et al. 287
Whittaker, A. K., see O'Donnell, J. H. 319

Yamaguchi, S., see Sasaki, N., et al. 215
Yang, H., Shibayama M., Stein, R. S.: Neutron Cloud Poinds and Concentration Fluctuations of Polymer Blends 7
Yasuhara, T., see Otsu, T., et al. 449
Yilgör, I., see Krukonis, V. J., et al. 491
Yilgör, I., McGrath, J. E., Krukonis, V. J.: Novel Supercritical Fluid Techniques Polymer Fractionation and Purification. 2. Fractionation and Characterization of Functional Siloxane Oligomers 499
Yoshitake, J., see Kashiwa, N. 99
Yosomiya, R., Fujisawa, T., Morimoto, K.: Carbon Fiber Having Isocyanate Group on the Surface. Preparation and Application for Composites 523
Yosomiya, R., Morimoto, K.: Glass Fiber Having Isocyanate Group on the Surface. Preparation and Reaction with Amino Acid 41

Zazzetta, A., see Gandini, A., et al. 71
Zenke, D., see Marichin, V. A., et al. 287